











## **HR-V SPECIFICATIONS & FEATURES**

ENGINE	LX	EX	EX-L
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
DISPLACEMENT (L / CC)	1.5 / 1496	1.5 / 1496	1.5 / 1496
IORSEPOWER @ RPM	119 @ 6600	119 @ 6600	119 @ 6600
ORQUE (LB-FT @ RPM)	107 @ 4300	107 @ 4300	107 @ 4300
ORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	10.6 : 1
	16-VALVE DOHC	16-VALVE DOHC	16-VALVE DOH
ALVE TRAIN	I-VTEC	I-VTEC	I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	0
HILL DESCENT CONTROL	0	0	0
IILL START ASSIST (HSA)	0	0	0
CO ASSIST SYSTEM	0	0	0
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	0	0	0
TRANSMISSION	LX	EX	EX-L
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	0	0
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L
INIT-BODY CONSTRUCTION	0	0	0
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
ORSION-BEAM REAR SUSPENSION	0	0	0
LECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	0	0	0
TABILIZER BAR (MM, FRONT / REAR)	24 / 19	24 / 19	24 / 19
TEERING WHEEL TURNS, LOCK-TO-LOCK	2.7	2.7	2.7
TEERING RATIO	14.4	14.4	14.4
URNING DIAMETER, CURB-TO-CURB (M)	11.3	11.3	11.3
OWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES	293 / 282	293 / 282	293 / 282
MM, FRONT / REAR)	17"	17"	18"
IRES	215/60 R17 96H	215/60 R17 96H	225/50 R18 95
ULL SIZE SPARE TIRE	215/60 K17 76H	213/60 K17 76H	223/30 K16 73
EXTERIOR MEASUREMENTS	LX	EX	EX-L
VHEELBASE (MM)	2610	2610	2610
ENGTH (MM)	4330	4330	4330
ENGTH (MM) IEIGHT (MM)	1590	1590	1590
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)	1590 1790	1590 1790	1590 1790
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1548 /1553	1590 1790 1548 /1553	1590 1790 1537 /1543
ENGTH (MM) (EIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR) ROUND CLEARANCE (MM, UNLADEN)	1590 1790 1548/1553 196	1590 1790 1548 /1553 196	1590 1790 1537 /1543 196
ENGTH (MM)  JEIGHT (MM)  JUDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  JURB WEIGHT (KG)	1590 1790 1548 /1553 196 1274	1590 1790 1548 /1553 196 1277	1590 1790 1537 /1543 196 1300
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47
ENGTH (MM)  IEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS	1590 1790 1548/1553 196 1274 53/47 LX	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47 EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  UUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957	1590 1790 1548 /1553 196 1277 53 / 47 EX 984 / 957	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  WIBB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  IIIGH WEIGHT (KG)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 /47 LX 984 / 957 1047 / 1017 1438 / 1357	1590 1790 1548/1553 196 1277 53/47 <b>EX</b> 984/957 1047/1017 1438/1357	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IRROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  IURB WEIGHT (KG)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIRROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHD CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KS)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  GROUND CLEARANCE (MM, UNLADEN)  ZURB WEIGHT (KS)  VITERIOR MEASUREMENTS  VEIGHT DISTRIBUTION (%, FRONT / REAR)  MEAROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LIPROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 104//1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 LX 40	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 EX 40	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KG)  VICTH (MM)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  VICTH (MM, FRONT	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (MM, FRONT / REAR)  IIGHT DISTRIBUTION (MM,	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  REGULAR UNLEADED
ENGTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT /	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  IAIDTH (	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  WEADR	1590 1790 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537 /1543 196 1300 53 / 47  EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WIEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  AASSENGER VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  WEIL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  XXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 EX-L 40 REGULAR UNILEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  IEGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENCER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA	1590 1790 1790 1548 / 1753 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX  •	1590 1790 1790 1548/1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2 76 / 2761  EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 153/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  ©  ©
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEIGHOOM (MM, FRONT / REAR)  BEDROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX  O	1590 1790 1790 1548 / 1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © ©
ENGTH (MM)  WEIGHT (MM)  WICH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WE	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  @ @ @ @ @ @ @ @ @
ENGTH (MM)  WEIGHT (MM)  WEIGHT (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT (MS)  WEIGHT (MS)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT (MM, F	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0
ENGTH (MM)  IEIGHT (MM)  IEIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  HEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LARGO VOLUME (M3 / LITERS, SEAT UP)  LASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  LEQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LODY-COLORED REAR ROOF-INE SPOILER	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0 0
ENGTH (MM)  WEIGHT (MM)  WICH (MM, FRONT / REAR)  RROWN CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  JERROOM (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  WEIGHT SWEIGHT (MM, FRONT / REAR)  W	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9
ENGTH (MM)  VICTH (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VIEIGHT (KG)  VIEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT / REAR)  VIEIGHT (MM, FRO	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0 0
ENGTH (MM)  IEIGHT (MM)  IIII (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EAGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  ARGO VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  EVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  ODY-COLORED REAR ROOF-INDERS POILER  ODY-COLORED POWER SIDE MIRRORS WITH INTEGRATED LED  URN INDICATORS	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX  9 9 9 9	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9 9 FOLDING
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX  0 0 0 0 0	1590 1790 1790 1537/1543 196 1300 53/47  EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX-L 40 REGULAR UNLEADED  EX-L 9 9 9 9

SAFETY	LX	EX	EX-L
HONDA SENSING TECHNOLOGIES			
COLLISION MITIGATION BRAKING SYSTEM (CMBS)		-	0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)		-	0
ADAPTIVE CRUISE CONTROL (ACC)		-	0
LANE KEEPING ASSIST SYSTEM (LKAS)		-	0
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)			0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	0	0
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
FRONT AIRBAGS (SRS)	0	0	0
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	0	0
FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM	0	0	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): 2ND-ROW OUTBOARD	0	0	0
SEAT-BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
		_	
COMFORT & CONVENIENCE	LX	EX	EX-L
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZON
PROGRAMMABLE POWER DOOR LOCKS	0	•	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
ILLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	•	0
PUSH BUTTON START	0	•	0
ONE-TOUCH TURN INDICATORS	0	•	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	•	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	0	0
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER	0	0	0
CARGO AREA TIE-DOWN ANCHORS	0		0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS  DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATE
SLIDING SUNVISORS WITH TICKET HOLDER	0	0	ILLUMINATE Ø
LED CARGO AREA LIGHT	0	0	0
LED CARGO AREA LIGHT	0	9	
		0	
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB  AUTOMATIC-DIMMING REARVIEW MIRROR		0	0
CRUISE CONTROL		9	0
	1.7	<u></u>	
SEATING	LX	EX	EX-L
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POW
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
LEATHER-TRIMMED SEATS		-	•
SEATING CAPACITY	5	5	5
AUDIO & CONNECTIVITY	LX	EX	EX-L
8-INCH COLOR TOUCH-SCREEN	0	0	0
AUDIO SYSTEM WITH 4-SPEAKERS	0	6-SPEAKERS	8-SPEAKER
2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	0	0	0
12-VOLT POWER OUTLET	0	0	0
	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP		0	0
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK	0		
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP  BLUETOOTH HANDS FREE LINK  BLUETOOTH STREAMING AUDIO  4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN  2.5-AMP USB CHARGING PORTS (2 REAR)			0



hondalatincaribbean.com Locate your Honda Distributor online. latincaribbean.hondatechtutor.com For helpful videos about vehicle features.











## **HR-V SPECIFICATIONS & FEATURES**

ENGINE	LX	EX	EX-L
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
DISPLACEMENT (L / CC)	1.5 / 1496	1.5 / 1496	1.5 / 1496
IORSEPOWER @ RPM	119 @ 6600	119 @ 6600	119 @ 6600
ORQUE (LB-FT @ RPM)	107 @ 4300	107 @ 4300	107 @ 4300
ORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	10.6 : 1
	16-VALVE DOHC	16-VALVE DOHC	16-VALVE DOH
ALVE TRAIN	I-VTEC	I-VTEC	I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	0
HILL DESCENT CONTROL	0	0	0
IILL START ASSIST (HSA)	0	0	0
CO ASSIST SYSTEM	0	0	0
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	0	0	0
TRANSMISSION	LX	EX	EX-L
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	0	0
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L
INIT-BODY CONSTRUCTION	0	0	0
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
ORSION-BEAM REAR SUSPENSION	0	0	0
LECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	0	0	0
TABILIZER BAR (MM, FRONT / REAR)	24 / 19	24 / 19	24 / 19
TEERING WHEEL TURNS, LOCK-TO-LOCK	2.7	2.7	2.7
TEERING RATIO	14.4	14.4	14.4
URNING DIAMETER, CURB-TO-CURB (M)	11.3	11.3	11.3
OWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES	293 / 282	293 / 282	293 / 282
MM, FRONT / REAR)	17"	17"	18"
IRES	215/60 R17 96H	215/60 R17 96H	225/50 R18 95
ULL SIZE SPARE TIRE	215/60 K17 76H	213/60 K17 76H	223/30 K16 73
EXTERIOR MEASUREMENTS	LX	EX	EX-L
VHEELBASE (MM)	2610	2610	2610
ENGTH (MM)	4330	4330	4330
ENGTH (MM) IEIGHT (MM)	1590	1590	1590
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)	1590 1790	1590 1790	1590 1790
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1548 /1553	1590 1790 1548 /1553	1590 1790 1537 /1543
ENGTH (MM) (EIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR) ROUND CLEARANCE (MM, UNLADEN)	1590 1790 1548/1553 196	1590 1790 1548 /1553 196	1590 1790 1537 /1543 196
ENGTH (MM)  JEIGHT (MM)  JUDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  JURB WEIGHT (KG)	1590 1790 1548 /1553 196 1274	1590 1790 1548 /1553 196 1277	1590 1790 1537 /1543 196 1300
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47
ENGTH (MM)  IEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS	1590 1790 1548/1553 196 1274 53/47 LX	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47 EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  UUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957	1590 1790 1548 /1553 196 1277 53 / 47 EX 984 / 957	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  WIBB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  IIIGH WEIGHT (KG)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 /47 LX 984 / 957 1047 / 1017 1438 / 1357	1590 1790 1548/1553 196 1277 53/47 <b>EX</b> 984/957 1047/1017 1438/1357	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IRROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  IURB WEIGHT (KG)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIRROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHD CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KS)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  GROUND CLEARANCE (MM, UNLADEN)  ZURB WEIGHT (KS)  VITERIOR MEASUREMENTS  VEIGHT DISTRIBUTION (%, FRONT / REAR)  MEAROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LIPROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 104//1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 LX 40	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 EX 40	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KG)  VICTH (MM)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  VICTH (MM, FRONT	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (MM, FRONT / REAR)  IIGHT DISTRIBUTION (MM,	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  REGULAR UNLEADED
ENGTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT /	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  IAIDTH (	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  WEADR	1590 1790 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537 /1543 196 1300 53 / 47  EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WIEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  AASSENGER VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  WEIL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  XXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 EX-L 40 REGULAR UNILEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  IEGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENCER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA	1590 1790 1790 1548 / 1753 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX  •	1590 1790 1790 1548/1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2 76 / 2761  EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 153/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  ©  ©
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEIGHOOM (MM, FRONT / REAR)  BEDROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX  O	1590 1790 1790 1548 / 1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © ©
ENGTH (MM)  WEIGHT (MM)  WICH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WE	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  @ @ @ @ @ @ @ @ @
ENGTH (MM)  WEIGHT (MM)  WEIGHT (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT (MS)  WEIGHT (MS)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT (MM, F	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0
ENGTH (MM)  IEIGHT (MM)  IEIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  HEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LARGO VOLUME (M3 / LITERS, SEAT UP)  LASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  LEQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LODY-COLORED REAR ROOF-INE SPOILER	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0 0
ENGTH (MM)  WEIGHT (MM)  WICH (MM, FRONT / REAR)  RROWN CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  JERROOM (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  WEIGHT SWEIGHT (MM, FRONT / REAR)  W	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9
ENGTH (MM)  VICTH (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VIEIGHT (KG)  VIEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT / REAR)  VIEIGHT (MM, FRO	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9
ENGTH (MM)  IEIGHT (MM)  IIII (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EAGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  ARGO VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  EVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  ODY-COLORED REAR ROOF-INDERS POILER  ODY-COLORED POWER SIDE MIRRORS WITH INTEGRATED LED  URN INDICATORS	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX  9 9 9 9	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9 9 FOLDING
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX  0 0 0 0 0	1590 1790 1790 1537/1543 196 1300 53/47  EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX-L 40 REGULAR UNLEADED  EX-L 9 9 9 9

SAFETY	LX	EX	EX-L
HONDA SENSING TECHNOLOGIES			
COLLISION MITIGATION BRAKING SYSTEM (CMBS)		-	0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)		-	0
ADAPTIVE CRUISE CONTROL (ACC)		-	0
LANE KEEPING ASSIST SYSTEM (LKAS)		-	0
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)			0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	0	0
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
FRONT AIRBAGS (SRS)	0	0	0
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	0	0
FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM	0	0	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): 2ND-ROW OUTBOARD	0	0	0
SEAT-BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
		_	
COMFORT & CONVENIENCE	LX	EX	EX-L
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZON
PROGRAMMABLE POWER DOOR LOCKS	0	•	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
ILLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	•	0
PUSH BUTTON START	0	•	0
ONE-TOUCH TURN INDICATORS	0	•	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	•	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	0	0
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER	0	0	0
CARGO AREA TIE-DOWN ANCHORS	0		0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS  DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATE
SLIDING SUNVISORS WITH TICKET HOLDER	0	0	ILLUMINATE Ø
LED CARGO AREA LIGHT	0	0	0
LED CARGO AREA LIGHT	0	9	
		0	
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB  AUTOMATIC-DIMMING REARVIEW MIRROR		0	0
CRUISE CONTROL		9	0
	1.7	<u></u>	
SEATING	LX	EX	EX-L
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POW
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
LEATHER-TRIMMED SEATS		-	•
SEATING CAPACITY	5	5	5
AUDIO & CONNECTIVITY	LX	EX	EX-L
8-INCH COLOR TOUCH-SCREEN	0	0	0
AUDIO SYSTEM WITH 4-SPEAKERS	0	6-SPEAKERS	8-SPEAKER
2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	0	0	0
12-VOLT POWER OUTLET	0	0	0
	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP		0	0
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK	0		
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP  BLUETOOTH HANDS FREE LINK  BLUETOOTH STREAMING AUDIO  4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN  2.5-AMP USB CHARGING PORTS (2 REAR)			0



hondalatincaribbean.com Locate your Honda Distributor online. latincaribbean.hondatechtutor.com For helpful videos about vehicle features.











## **HR-V SPECIFICATIONS & FEATURES**

ENGINE	LX	EX	EX-L
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
DISPLACEMENT (L / CC)	1.5 / 1496	1.5 / 1496	1.5 / 1496
IORSEPOWER @ RPM	119 @ 6600	119 @ 6600	119 @ 6600
ORQUE (LB-FT @ RPM)	107 @ 4300	107 @ 4300	107 @ 4300
ORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	10.6 : 1
	16-VALVE DOHC	16-VALVE DOHC	16-VALVE DOH
ALVE TRAIN	I-VTEC	I-VTEC	I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	0
HILL DESCENT CONTROL	0	0	0
IILL START ASSIST (HSA)	0	0	0
CO ASSIST SYSTEM	0	0	0
DIRECT IGNITION SYSTEM WITH IMMOBILIZER	0	0	0
TRANSMISSION	LX	EX	EX-L
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	0	0
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L
INIT-BODY CONSTRUCTION	0	0	0
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
ORSION-BEAM REAR SUSPENSION	0	0	0
LECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	0	0	0
TABILIZER BAR (MM, FRONT / REAR)	24 / 19	24 / 19	24 / 19
TEERING WHEEL TURNS, LOCK-TO-LOCK	2.7	2.7	2.7
TEERING RATIO	14.4	14.4	14.4
URNING DIAMETER, CURB-TO-CURB (M)	11.3	11.3	11.3
OWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES	293 / 282	293 / 282	293 / 282
MM, FRONT / REAR)	17"	17"	18"
IRES	215/60 R17 96H	215/60 R17 96H	225/50 R18 95
ULL SIZE SPARE TIRE	215/60 K17 76H	213/60 K17 76H	223/30 K16 73
EXTERIOR MEASUREMENTS	LX	EX	EX-L
VHEELBASE (MM)	2610	2610	2610
ENGTH (MM)	4330	4330	4330
ENGTH (MM) IEIGHT (MM)	1590	1590	1590
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)	1590 1790	1590 1790	1590 1790
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1548 /1553	1590 1790 1548 /1553	1590 1790 1537 /1543
ENGTH (MM) (EIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR) ROUND CLEARANCE (MM, UNLADEN)	1590 1790 1548/1553 196	1590 1790 1548 /1553 196	1590 1790 1537 /1543 196
ENGTH (MM)  JEIGHT (MM)  JUDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  JURB WEIGHT (KG)	1590 1790 1548 /1553 196 1274	1590 1790 1548 /1553 196 1277	1590 1790 1537 /1543 196 1300
ENGTH (MM)  (EIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47
ENGTH (MM)  IEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS	1590 1790 1548/1553 196 1274 53/47 LX	1590 1790 1548 /1553 196 1277 53 / 47	1590 1790 1537 /1543 196 1300 53 / 47 EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  UUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957	1590 1790 1548 /1553 196 1277 53 / 47 EX 984 / 957	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  ROUND CLEARANCE (MM, UNLADEN)  WIBB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IROUND CLEARANCE (MM, UNLADEN)  IIIGH WEIGHT (KG)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 /47 LX 984 / 957 1047 / 1017 1438 / 1357	1590 1790 1548/1553 196 1277 53/47 <b>EX</b> 984/957 1047/1017 1438/1357	1590 1790 1537 / 1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IRROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  IURB WEIGHT (KG)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIRROOM (MM, FRONT / REAR)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHD CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KS)  IVEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VEIGHT (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  GROUND CLEARANCE (MM, UNLADEN)  ZURB WEIGHT (KS)  VITERIOR MEASUREMENTS  VEIGHT DISTRIBUTION (%, FRONT / REAR)  MEAROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LIPROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 104//1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315	1590 1790 1537 /1543 196 1300 53 / 47 <b>EX-L</b> 984 /957 1047 / 1017 1438 / 1357 1349 / 1151
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KS)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  VICTE (MM, FRONT / REAR)  AGROOV OLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  VICTE (MM, FRONT / VICTERS)  VICTE (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, FRONT / VICTERS)  VICTERS (MM, VICTERS)  VICTERS (MM, VICTERS)	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 LX 40	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 276/2761 EX 40	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40
ENGTH (MM)  VICTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VURB WEIGHT (KG)  VICTH (MM)  NTERIOR MEASUREMENTS  BEADROOM (MM, FRONT / REAR)  EGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  VICTH (MM, FRONT	1590 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (%, FRONT / REAR)  IIIGHT DISTRIBUTION (MM, FRONT / REAR)  IIGHT DISTRIBUTION (MM,	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  REGULAR UNLEADED
ENGTH (MM)  VICTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT /	1590 1790 1548 /1553 196 1274 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  RACK (MM, FRONT / REAR)  IAIDTH (MM)  IAIDTH (	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537 /1543 196 1300 53 / 47 EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  WEADR	1590 1790 1790 1548/1553 196 1274 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537 /1543 196 1300 53 / 47  EX-L 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L 40 REGULAR UNLEADED EX-L
ENGTH (MM)  WIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  WIEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  AASSENGER VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  WEIL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  XXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS	1590 1790 1790 1548 /1553 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 EX-L 40 REGULAR UNILEADED EX-L
ENGTH (MM)  IEIGHT (MM)  IIDTH (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  IEGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENCER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA	1590 1790 1790 1548 / 1753 196 1274 53 / 47  LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 LX 40 REGULAR UNLEADED LX  •	1590 1790 1790 1548/1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2 76 / 2761  EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 153/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  ©  ©
ENGTH (MM)  IEIGHT (MM)  IIIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IUBB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  INTERIOR MEASUREMENTS  IEIGHOOM (MM, FRONT / REAR)  BEDROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIPROOM (MM, FRONT / REAR)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  USEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX  O	1590 1790 1790 1548 / 1553 196 1277 53 / 47  EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © ©
ENGTH (MM)  WEIGHT (MM)  WICH (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WE	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L  @ @ @ @ @ @ @ @ @
ENGTH (MM)  WEIGHT (MM)  WEIGHT (MM)  RACK (MM, FRONT / REAR)  SEROUND CLEARANCE (MM, UNLADEN)  WEIGHT (MS)  WEIGHT (MS)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT (MM, F	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L  © 0 0
ENGTH (MM)  IEIGHT (MM)  IEIGHT (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  IURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEEDROOM (MM, FRONT / REAR)  HEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  LARGO VOLUME (M3 / LITERS, SEAT UP)  LASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  LEQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LEVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  LODY-COLORED REAR ROOF-INE SPOILER	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9
ENGTH (MM)  WEIGHT (MM)  WICH (MM, FRONT / REAR)  RROWN CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  WEADROOM (MM, FRONT / REAR)  WEADROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  JERROOM (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (%, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT DISTRIBUTION (MM, FRONT / REAR)  WEIGHT ROOM (MM, FRONT / REAR)  WEIGHT SWEIGHT (MM, FRONT / REAR)  W	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX  0 0	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9
ENGTH (MM)  VICTH (MM)  VIDTH (MM)  RACK (MM, FRONT / REAR)  SROUND CLEARANCE (MM, UNLADEN)  VIEIGHT (KG)  VIEIGHT (KG)  VIEIGHT DISTRIBUTION (%, FRONT / REAR)  VIEIGHT DISTRIBUTION (MM, FRONT / REAR)  VIEIGHT (MM, FRO	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX 9 9 9	1590 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9
ENGTH (MM)  IEIGHT (MM)  IIII (MM)  RACK (MM, FRONT / REAR)  RROUND CLEARANCE (MM, UNLADEN)  UURB WEIGHT (KG)  VEIGHT DISTRIBUTION (%, FRONT / REAR)  NTERIOR MEASUREMENTS  IEADROOM (MM, FRONT / REAR)  EAGROOM (MM, FRONT / REAR)  HOULDER ROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  IIIROOM (MM, FRONT / REAR)  ARGO VOLUME (M3 / LITERS, SEAT UP)  ASSENGER VOLUME (M3 / LITERS)  FUEL & CAPACITY  UEL TANK CAPACITY (LITERS)  EQUIRED FUEL  EXTERIOR FEATURES  ED HEADLIGHTS WITH AUTO-OFF  ED BRAKE AND TAILLIGHTS  ED FOG LIGHTS  IN-TYPE ROOF-MOUNTED ANTENNA  ECURITY SYSTEM WITH REMOTE ENTRY  MART ENTRY SYSTEM  EVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER  ODY-COLORED REAR ROOF-INDERS POILER  ODY-COLORED POWER SIDE MIRRORS WITH INTEGRATED LED  URN INDICATORS	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED  LX  9 9 9 9	1590 1790 1790 1548/1553 196 1277 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	1590 1790 1790 1537/1543 196 1300 53/47 EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L 40 REGULAR UNLEADED EX-L 9 9 9 9 FOLDING
ENGTH (MM) HEIGHT (MM) VIDTH (MM) RACK (MM, FRONT / REAR)	1590 1790 1790 1548/1553 196 1274 53/47  LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  LX 40 REGULAR UNLEADED LX	1590 1790 1548/1553 196 1277 53/47  EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX 40 REGULAR UNLEADED  EX  0 0 0 0 0	1590 1790 1790 1537/1543 196 1300 53/47  EX-L 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761  EX-L 40 REGULAR UNLEADED  EX-L 9 9 9 9

SAFETY	LX	EX	EX-L
HONDA SENSING TECHNOLOGIES			
COLLISION MITIGATION BRAKING SYSTEM (CMBS)		-	0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)		-	0
ADAPTIVE CRUISE CONTROL (ACC)		-	0
LANE KEEPING ASSIST SYSTEM (LKAS)		-	0
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)			0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	0	0
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
FRONT AIRBAGS (SRS)	0	0	0
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	0	0
FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM	0	0	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): 2ND-ROW OUTBOARD	0	0	0
SEAT-BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
		_	
COMFORT & CONVENIENCE	LX	EX	EX-L
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZON
PROGRAMMABLE POWER DOOR LOCKS	0	•	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
ILLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	•	0
PUSH BUTTON START	0	•	0
ONE-TOUCH TURN INDICATORS	0	•	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	•	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	0	0
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER	0	0	0
CARGO AREA TIE-DOWN ANCHORS	0		0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS  DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATE
SLIDING SUNVISORS WITH TICKET HOLDER	0	0	ILLUMINATE Ø
LED CARGO AREA LIGHT	0	0	0
LED CARGO AREA LIGHT	0	9	
		9	
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB  AUTOMATIC-DIMMING REARVIEW MIRROR		0	0
CRUISE CONTROL		9	0
	1.7	<u></u>	
SEATING	LX	EX	EX-L
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POW
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
LEATHER-TRIMMED SEATS		-	•
SEATING CAPACITY	5	5	5
AUDIO & CONNECTIVITY	LX	EX	EX-L
8-INCH COLOR TOUCH-SCREEN	0	0	0
AUDIO SYSTEM WITH 4-SPEAKERS	0	6-SPEAKERS	8-SPEAKER
2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	0	0	0
12-VOLT POWER OUTLET	0	0	0
	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP		0	0
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK	0		
IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO	0	0	0
IN-CAR SMARTPHONE INTEGRATION APP  BLUETOOTH HANDS FREE LINK  BLUETOOTH STREAMING AUDIO  4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN  2.5-AMP USB CHARGING PORTS (2 REAR)			0



hondalatincaribbean.com Locate your Honda Distributor online. latincaribbean.hondatechtutor.com For helpful videos about vehicle features.

